

Boy's Knitted Aran Cardigan

CraftGossip.com



CHILD'S JACKET AND HATS

in Wendy Aran

Instructions given for 46 cm. (18 inch) Chest, larger sizes given in round brackets. Where only one figure is given this applies to all sizes.

MATERIALS AND MEASUREMENTS

To achieve the look shown in the photograph choose the child's normal size as a movement allowance has already been made.

To Fit Chest Sizes	46 18	51 20	56 22	61 24	cm. ins.
JACKET					
Actual Measurements	50 19 3/4	56.5 22 1/4	61 24	67.5 26 1/2	cm. ins.
JACKET					
Wendy Family Choice Aran (50g.)	4	4	5	6	Balls
Wendy Kintyre (50g.)	5	6	7	8	Balls
Wendy Family Choice Aran Tweed (50g.)	4	4	5	6	Balls
HAT WITH EARFLAPS					
Wendy Family Choice Aran (50g.)	2	2	2	3	Balls
Wendy Kintyre (50g.)	2	3	3	3	Balls
Wendy Family Choice Aran Tweed (50g.)	2	2	2	3	Balls
HAT WITHOUT EARFLAPS					
Wendy Family Choice Aran (50g.)	1	2	2	2	Balls
Wendy Kintyre (50g.)	2	2	2	3	Balls
Wendy Family Choice Aran Tweed (50g.)	1	2	2	2	Balls
2 — 3 3/4 mm. (U.K. 9 — U.S.A. 5) and 2 — 4 1/2 mm. (U.K. 7 — U.S.A. 7) Milward Knitting Needles. Stitch Holders. Cable Needle. 4 Buttons for Jacket. 1 Button for Hat with Earflaps.					
JACKET					
Length from Back of Neck	29 11 1/2	33 13	36 14 1/4	39.5 15 1/2	cm. ins.
Sleeve Seam	16.5 6 1/2	19 7 1/2	23 9	26.5 10 1/2	cm. ins.
HATS (Both Designs)					
Width round Head	42 16 1/2	47 18 1/2	51 20	57 22 1/2	cm. ins.

Please note that the limitations of the printing process mean that the actual colour will not always precisely match the colours in the photograph.

IMPORTANT

Use only the Wendy yarn specified. We cannot accept responsibility for an imperfect garment if any other brand is used. It is essential to work to the tension stated.

The quantities of yarn stated are based on average requirements and are therefore approximate.

ABBREVIATIONS

K. — Knit; P. — Purl; st(s). — stitch(es); rept. — repeat; inc. — increase; dec. — decrease; tog. — together; beg. — beginning; alt. — alternate; sl. — slip; sl.1 — slip one; y.fwd. — yarn forward; p.s.s.o. — pass slipped stitch over; t.b.l. — through back of loop; T.2 — twist 2. K. into back of second st. on left hand needle, then K. into back of first st., sl. both sts. off the needle tog.; Cr.3B. — cross 3 back, sl. next 2 sts. onto a cable needle and leave at back of work, K.1, then K.2 from cable needle; Cr.3F. — cross 3 front, sl. next st. onto a cable needle and leave at front of work, K.2, then K.1 from cable needle; C.4F. — cable 4 front, sl. the next 2 sts.

onto a cable needle and leave at front of work, K.2, then K.2 from cable needle; C.4B. — cable 4 back, sl. the next 2 sts. onto a cable needle and leave at back of work, K.2, then K.2 from cable needle; 0 — No stitches or rows to be worked in that particular size; patt. — pattern; cm. — centimetres; ins. — inches.

TENSION

It is important to check your tension before commencing the garment.

19 sts. and 26 rows to 10 cm. (4 ins.) over Irish Moss St. on 4 1/2 mm. Needles.

If there are too many stitches to 10 cm., then your tension is tight and you will need to change your needle to a larger size. If there are too few stitches to 10 cm., then your tension is loose and you will need to change your needle to a smaller size.

JACKET

BACK

Using 3 3/4 mm. Needles, cast on 47 (53, 57, 61) sts.

1st Row — K.1, * P.1, K.1, rept. from * to end.

2nd Row — P.1, * K.1, P.1, rept. from * to end.

Rept. the last 2 rows for 4 (4, 5, 5) cm. 1 1/2 (1 1/2, 2, 2) ins. finishing on a 1st Row.

No. 3606
Knitted in Family Choice Aran
Shade 524 Cream Aran

Next Row (Inc. Row) — Rib 1 (4, 6, 4), inc. in next st., * rib 3, inc. in next st., rept. from * to last 1 (4, 6, 4) sts., rib to end. 59 (65, 69, 75) sts.
Change to 4 1/2 mm. Needles.

Commence Patt.

1st Row (Right Side) — P.0 (1, 1, 0) sts., [K.1, P.1] 1 (2, 3, 5) times, T.2, P.1, Cr.3B., K.1, Cr.3F., P.1, T.2, P.1, C.4F., C.4B., [K.1, P.1] 5 times, K.1, C.4F., C.4B., P.1, T.2, P.1, Cr.3B., K.1, Cr.3F., P.1, T.2, [P.1, K.1] 1 (2, 3, 5) times, P.0 (1, 1, 0).
2nd Row — K.0 (1, 1, 0) sts., [P.1, K.1] 1 (2, 3, 5) times, P.2, K.1, P.7, K.1, P.2, K.1, P.9, [K.1, P.1] 5 times, P.8, K.1, P.2, K.1, P.7, K.1, P.2, [K.1, P.1] 1 (2, 3, 5) times, K.0 (1, 1, 0).

3rd Row — K.0 (1, 1, 0) sts., [P.1, K.1] 0 (1, 2, 4) times, P.2, T.2, P.1, K.7, P.1, T.2, P.1, K.8, [P.1, K.1] 5 times, P.1, K.8, P.1, T.2, P.1, K.7, P.1, T.2, P.2, [K.1, P.1] 0 (1, 2, 4) times, K.0 (1, 1, 0).

4th Row — K.1 (0, 0, 1) sts., [P.1, K.1] 0 (2, 3, 4) times, K.1, P.2, K.1, P.7, K.1, P.2, K.1, P.8, K.1, [P.1, K.1] 5 times, P.8, K.1, P.2, K.1, P.7, K.1, P.2, K.1, [K.1, P.1] 0 (2, 3, 4) times, K.1 (0, 0, 1).

5th Row — P.0 (1, 1, 0) sts., [K.1, P.1] 1 (2, 3, 5) times, T.2, P.1, Cr.3B., K.1, Cr.3F., P.1, T.2, P.1, C.4B., C.4F., [K.1, P.1] 5 times, K.1, C.4B., C.4F., P.1, T.2, P.1, Cr.3B., K.1, Cr.3F., P.1, T.2, [P.1, K.1] 1 (2, 3, 5) times, P.0 (1, 1, 0).

6th Row — As 2nd Row.

7th Row — As 3rd Row.

8th Row — K.1 (0, 0, 1) sts., [P.1, K.1] 0 (2, 3, 4) times, K.1, P.2, K.1, P.7, K.1, P.2, K.1, P.8, K.1, [P.1, K.1] 5 times, P.8, K.1, P.2, K.1, P.7, K.1, P.2, K.1, [K.1, P.1] 0 (2, 3, 4) times, K.1 (0, 0, 1).

These 8 rows form the patt.
Continue in patt. until work measures 15 (17.5, 19, 21.5) cm. 6 (7, 7 1/2, 8 1/2) ins. from commencement finishing on a wrong side row.

Shape Armholes

Keeping patt. correct.

Cast off 4 sts. at beg. of next 2 rows. Work 2 rows.

Next Row — K.1, sl.1, K.1, p.s.s.o., patt. to last 3 sts., K.2tog., K.1.

Next Row — P.2, patt. to last 2 sts., P.2. Work 2 rows.

Rept. the last 4 rows 1 (2, 3, 2) times more. 47 (51, 53, 61) sts.

Dec. 1 st. at armhole edge as before on the next and every following alt. row until 23 (27, 29, 31) sts. remain finishing on a wrong side row.

Cast off.

LEFT FRONT

** Using 3 3/4 mm. Needles, cast on 21 (23, 25, 27) sts.

1st Row — K.1, * P.1, K.1, rept. from * to end.

2nd Row — P.1, * K.1, P.1, rept. from * to end.

Rept. the last 2 rows for 4 (4, 5, 5) cm. 1 1/2 (1 1/2, 2, 2) ins. finishing on a 1st Row.**

Next Row (Inc. Row) — Rib 1, inc. in next st., * rib 3, inc. in next st., rept. from * 3 (4, 4, 5) times more, rib 3 (1, 3, 1). 26 (29, 31, 34) sts. Change to 4½ mm. Needles.

Commence Patt.

1st Row (Right Side) — P.0 (1, 1, 0) sts., [K.1, P.1] 1 (2, 3, 5) times, T.2, P.1, Cr.3B., K.1, Cr.3F., P.1, T.2, P.1, C.4F., C.4B., K.1, P.1.

2nd Row — K.1, P.9, K.1, P.2, K.1, P.7, K.1, P.2, [K.1, P.1] 1 (2, 3, 5) times, K.0 (1, 1, 0).

3rd Row — K.0 (1, 1, 0) sts., [P.1, K.1] 0 (1, 2, 4) times, P.2, T.2, P.1, K.7, P.1, T.2, P.1, K.8, P.1, K.1.

4th Row — P.1, K.1, P.8, K.1, P.2, K.1, P.7, K.1, P.2, K.1, [K.1, P.1] 0 (2, 3, 4) times, K.1 (0, 0, 1).

5th Row — P.0 (1, 1, 0) sts., [K.1, P.1] 1 (2, 3, 5) times, T.2, P.1, Cr.3B., K.1, Cr.3F., P.1, T.2, P.1, C.4B., C.4F., K.1, P.1.

6th Row — As 2nd Row.

7th Row — As 3rd Row.
8th Row — P.1, K.1, P.8, K.1, P.2, K.1, P.7, K.1, P.2, K.1, [K.1, P.1] 0 (2, 3, 4) times, K.1 (0, 0, 1).

These 8 rows form the patt.
Continue in patt. until work measures same as back to armholes finishing on a same patt. row.

Shape Armhole and Front

Keeping patt. correct.

Next Row — Cast off 4 sts., patt. to end.

Work 3 rows.

Next Row — K.1, sl.1, K.1, p.s.s.o., patt. to last 2 sts., dec. 1 st.

Next Row — Patt. to last 2 sts., P.2.

Work 2 rows.

Rept. the last 4 rows 1 (2, 3, 2) times more. 18 (19, 19, 24) sts.

*** Dec. 1 st. at armhole edge as before on the next and every following alt. row at the same time dec. 1 st. at Front edge on the next and every following 4th row until 13 (5, 5, 4) sts. remain.

46 cm. 18 inch size only

Dec. 1 st. at armhole edge on every following alt. row at the same time dec. 1 st. at Front edge on every following 6th row from previous dec. until 5 sts. remain.

All Sizes

Keeping Front edge straight, dec. 1 st. at armhole edge only on every following alt. row until 2 sts. remain finishing on a wrong side row.
K.2tog. Fasten off.***

RIGHT FRONT

Work exactly as instructions given for Left Front from ** to **.

Next Row (Inc. Row) — Rib 3 (1, 3, 1), inc. in next st., * rib 3, inc. in next st., rept. from * 3 (4, 4, 5) times more, rib 1. 26 (29, 31, 34) sts.

Change to 4½ mm. Needles.

Commence Patt.

1st Row (Right Side) — P.1, K.1, C.4F.,

C.4B., P.1, T.2, P.1, Cr.3B., K.1, Cr.3F., P.1, T.2, [P.1, K.1] 1 (2, 3, 5) times, P.0 (1, 1, 0).

2nd Row — K.0 (1, 1, 0) sts., [P.1, K.1] 1 (2, 3, 5) times, P.2, K.1, P.7, K.1, P.2, K.1, P.9, K.1.

3rd Row — K.1, P.1, K.8, P.1, T.2, P.1, K.7, P.1, T.2, P.2, [K.1, P.1] 0 (1, 2, 4) times, K.0 (1, 1, 0).

4th Row — K.1 (0, 0, 1) sts., [P.1, K.1] 0 (2, 3, 4) times, K.1, P.2, K.1, P.7, K.1, P.2, K.1, P.8, K.1, P.1.

5th Row — P.1, K.1, C.4B., C.4F., P.1, T.2, P.1, Cr.3B., K.1, Cr.3F., P.1, T.2, [P.1, K.1] 1 (2, 3, 5) times, P.0 (1, 1, 0).

6th Row — As 2nd Row.

7th Row — As 3rd Row.

8th Row — K.1 (0, 0, 1) sts., [P.1, K.1] 0 (2, 3, 4) times, K.1, P.2, K.1, P.7, K.1, P.2, K.1, P.8, K.1, P.1.

These 8 rows form the patt.
Continue in patt. until work measures same as back to armholes finishing on a same patt. row.

Shape Front and Armhole

Keeping patt. correct.

Work 1 row.

Next Row — Cast off 4 sts., patt. to end.
Work 2 rows.

Next Row — Dec. 1 st., patt. to last 3 sts., K.2tog., K.1.

Next Row — P.2, patt. to end.

Work 2 rows.

Rept. the last 4 rows 1 (2, 3, 2) times more. 18 (19, 19, 24) sts.

Work from *** to *** of Left Front.

SLEEVES (Both Alike)

Using 3¾ mm. Needles, cast on 27 (27, 29, 31) sts.

Work 4 (4, 5, 5) cm. 1½ (1½, 2, 2) ins. in rib as given for Back finishing on a 1st Row.

Next Row (Inc. Row) — Rib 1 (1, 4, 3), inc. in next st., * rib 1, inc. in next st., rept. from * to last 1 (1, 4, 3) sts., rib to end. 40 (40, 40, 44) sts.

Change to 4½ mm. Needles.

Commence Patt.

1st Row (Right Side) — [K.1, P.1] 1 (1, 1, 2) times, T.2, P.1, Cr.3B., K.1, Cr.3F., P.1, T.2, P.1, C.4F., C.4B., P.1, T.2, P.1, Cr.3B., K.1, Cr.3F., P.1, T.2, [P.1, K.1] 1 (1, 1, 2) times.

2nd Row — [P.1, K.1] 1 (1, 1, 2) times, P.2, K.1, P.7, K.1, P.2, K.1, P.8, K.1, P.2, K.1, P.7, K.1, P.2, [K.1, P.1] 1 (1, 1, 2) times.

3rd Row — P.1, K.0 (0, 0, 1), P.1 (1, 1, 2), T.2, P.1, K.7, P.1, T.2, P.1, K.8, P.1, T.2, P.1, K.7, P.1, T.2, P.2, K.0 (0, 0, 1), P.0 (0, 0, 1).

4th Row — K.2 (2, 2, 1), P.0 (0, 0, 1), K.0 (0, 0, 2), P.2, K.1, P.7, K.1, P.2, K.1, P.8, K.1, P.2, K.1, P.7, K.1, P.2, K.2, P.0 (0, 0, 1), K.0 (0, 0, 1).

5th Row — [K.1, P.1] 1 (1, 1, 2) times, T.2, P.1, Cr.3B., K.1, Cr.3F., P.1, T.2, P.1, C.4B., C.4F., P.1, T.2, P.1, Cr.3B., K.1, Cr.3F., P.1, T.2, [P.1, K.1] 1 (1, 1, 2) times.

6th Row — As 2nd Row.

Continue in 8 row patt. as set and working all inc. sts. into patt., inc. 1 st. at each end of the needle on the next and every following 6th row until 48 (50, 48, 54) sts. are on the needle.

(56, 61) cm. (22, 24) inch sizes only
Inc. 1 st. at each end of the needle on every following 6th row until 52 (58) sts. are on the needle.

All Sizes

Continue without further inc. until Sleeve measures 16.5 (19, 23, 26.5) cm. 6½ (7½, 9, 10½) ins. from commencement finishing on a wrong side row.

Shape Top

Keeping patt. correct.

Cast off 4 sts. at beg of next 2 rows.

Work 2 rows.

Next Row — K.1, sl.1, K.1, p.s.s.o., patt. to last 3 sts., K.2tog., K.1.

Next Row — P.2, patt. to last 2 sts., P.2. Rept. the last 4 rows 0 (1, 2, 0) times more. 38 (38, 38, 48) sts.

Next Row — K.1, sl.1, K.1, p.s.s.o., patt. to last 3 sts., K.2tog., K.1.

Next Row — P.2, patt. to last 2 sts., P.2. Rept. the last 2 rows until 8 sts. remain finishing on a wrong side row.

Cast off.

HAT

Using 3¾ mm. Needles, cast on 79 (87, 95, 107) sts.

Work 7.5 cm. (3 ins.) in rib as given for Back of Jacket finishing on a 1st Row.

Next Row (Inc. Row) — Rib 9 (10, 5, 9), inc. in next st., * rib 9 (5, 11, 10), inc. in next st., rept. from * to last 9 (10, 5, 9) sts., rib to end. 86 (99, 103, 116) sts.

Change to 4½ mm. Needles.

Commence Patt.

1st Row (Right Side) — [K.1, P.1] 2 (1, 2, 1) times, K.1, * C.4F., C.4B., [K.1, P.1] 4 times, K.1, rept. from * to last 13 (11, 13, 11) sts., C.4F., C.4B., [K.1, P.1] 2 (1, 2, 1) times, K.1.

2nd Row — P.1, [K.1, P.1] 2 (1, 2, 1) times, * P.9, [K.1, P.1] 4 times, rept. from * to last 13 (11, 13, 11) sts., P.9, [K.1, P.1] 2 (1, 2, 1) times.

3rd Row — [P.1, K.1] 2 (1, 2, 1) times, P.1, * K.8, [P.1, K.1] 4 times, P.1, rept. from * to last 13 (11, 13, 11) sts., K.8, [P.1, K.1] 2 (1, 2, 1) times, P.1.

4th Row — K.1, [P.1, K.1] 2 (1, 2, 1) times, * P.8, K.1, [P.1, K.1] 4 times, rept. from * to last 13 (11, 13, 11) sts., P.8, K.1, [P.1, K.1] 2 (1, 2, 1) times.

5th Row — [K.1, P.1] 2 (1, 2, 1) times, K.1, * C.4B., C.4F., [K.1, P.1] 4 times, K.1, rept. from * to last 13 (11, 13, 11) sts., C.4B., C.4F., [K.1, P.1] 2 (1, 2, 1) times, K.1.

6th Row — As 2nd Row.

7th Row — As 3rd Row.

8th Row — As 4th Row.


These 8 rows form the patt.

Continue in patt. until work measures 16.5 (17.5, 19, 20.5) cm. 6½ (7, 7½, 8) ins. from commencement finishing on a wrong side row.

Shape Crown

Keeping patt. correct.

Next Row (Dec. Row) — Patt. 3 (1, 3, 1), K.2tog., * patt. 8, K.2tog., patt. 5, K.2tog., rept. from * to last 13 (11, 13, 11) sts., patt. 8, K.2tog., patt. 3 (1, 3, 1). 76 (87, 91, 102) sts.



Next Row – Patt. to end.
Next Row – Patt. 2 (0, 2, 0), K.2tog., * patt. 8, K.2tog., patt. 3, K.2tog., rept. from * to last 12 (10, 12, 10) sts., patt. 8, K.2tog., patt. 2 (0, 2, 0). 66 (75, 79, 88) sts.
Next Row – Patt. to end.

46 (56) cm. 18 (22) inch sizes only
Next Row – Patt. 1, K.2tog., * patt. 8, K.2tog., patt. 1, K.2tog., rept. from * to last 11 sts., patt. 8, K.2tog., patt. 1. (56, 67) sts.
Next Row – Patt. to end.

Next Row – K.2tog., * patt. 8, K.3tog., rept. from * to last 10 sts., patt. 8, K.2tog. (46, 55) sts.
Next Row – Patt. 8, * P.3tog., patt. 6, rept. from * to last 2 sts., patt. 2. (38, 45) sts.

(51, 61) cm. (20, 24) inch sizes only
Next Row – Patt. 9, * K.2tog., patt. 1, K.2tog., patt. 8, rept. from * to last st., patt. 1. 65 (76) sts.

Next Row – Patt. to end.
Next Row – Patt. 9, * K.3tog., patt. 8, rept. from * to last st., patt. 1. 55 (64) sts.

Next Row – Patt. 8, * P.3tog., patt. 6, rept. from * to last 2 sts., patt. 2. (45, 52) sts.

All Sizes

Next Row – Patt. 1, * K.3tog., rept. from * to last 1 (2, 2, 3) sts., patt. 1 (2, 2, 3) sts. 14 (17, 17, 20) sts.
 Thread yarn through remaining 14 (17, 17, 20) sts., draw up tight and fasten off.

PRESSING

With wrong side facing, pin out all pieces to measurements given. Press as instructions given on ball band.

MAKING UP

JACKET

Pin sleeves into position, sew in by backstitching.

Collar

With right side facing, using 3¼ mm. Needles and commencing at first front dec., pick up and K.28 (30, 32, 36) sts. up right front neck, 7 sts. from right sleeve top, pick up and K.22 (24, 28, 30) sts. across back neck, 7 sts. from left sleeve top and 27 (31, 33, 35) sts. down left front neck. 91 (99, 107, 115) sts.

Next Row – P.1, * K.1, P.1, rept. from * to end.

Next Row – Inc. in first st., * K.1, P.1, rept. from * to last 2 sts., K.1, inc. in last st. 93 (101, 109, 117) sts.

Next Row – P.1, * K.1, P.1, rept. from * to end.

Next Row – Inc. in first st., * K.1, P.1, rept. from * to last 2 sts., K.1, inc. in last st. 95 (103, 111, 119) sts.

Next Row – P.1, * K.1, P.1, rept. from * to end.

Next Row – Inc. in first st., * K.1, P.1, rept. from * to last 2 sts., K.1, inc. in last st. 97 (105, 113, 121) sts.

Next Row – P.1, * K.1, P.1, rept. from * to end.

Next Row – Patt. 95 (103, 111, 119) sts., turn.

Next Row – Sl.1, patt. 92 (100, 108, 116) sts., turn.

Next Row – Sl.1, patt. 90 (98, 106, 114) sts., turn.

Next Row – Sl.1, patt. 88 (96, 104, 112) sts., turn.

Next Row – Sl.1, patt. 86 (94, 102, 110) sts., turn.

Next Row – Sl.1, patt. 84 (92, 100, 108) sts., turn.

Continue in this manner working 2 sts. less on every row until the following row has been worked:– Sl.1, patt. 76 (84, 92, 100) sts.

Next Row – Sl.1, patt. 72 (80, 88, 96) sts., turn.

Next Row – Sl.1, patt. 68 (76, 84, 92) sts., turn.

Next Row – Sl.1, patt. 64 (72, 80, 88) sts., turn.

Next Row – Sl.1, patt. 60 (68, 76, 84) sts., turn.

Next Row – Sl.1, patt. 54 (62, 70, 78) sts., turn.

Next Row – Sl.1, patt. 48 (56, 64, 72) sts., turn.

Next Row – Sl.1, patt. 42 (50, 58, 66) sts., turn.

Next Row – Sl.1, patt. 36 (44, 52, 60) sts., turn.

Next Row – Sl.1, patt. 35 (43, 51, 59), K.2tog., patt. 4, P.2tog., patt. 4, K.2tog., patt. 2, P.2tog., patt. 2, [K.2tog., P.2tog.] twice, K.2tog., P.1.

Next Row – K.1, patt. 56 (64, 72, 80), K.2tog., patt. 4, P.2tog., patt. 4, K.2tog., patt. 2, P.2tog., patt. 2, [K.2tog., P.2tog.] twice, K.2tog., P.1. 79 (87, 95, 103) sts. Cast off loosely in patt.

Buttonband

Using 3¼ mm. Needles, cast on 7 sts.

1st Row (Right Side) – K.1, * P.1, K.1, rept. from * to end.

2nd Row – P.1, * K.1, P.1, rept. from * to end.

3rd Row – As 2nd Row.

4th Row – As 1st Row.

These 4 rows form the Irish Moss st. patt. Continue in patt. until band is long enough when slightly stretched to fit up front to commencement of collar finishing on a wrong side row. Cast off in patt.

Mark positions for buttons on band, the first one 1 cm. (½ inch) from lower edge, the last one 1 cm. (½ inch) from first front dec. and 2 more equally spaced between.

Buttonhole Band

Work as instructions given for button-band working buttonholes to correspond with positions marked for buttons as follows:–

Next Row (Buttonhole Row) – Work 3, y.fwd., K.2tog., work 2.

Join side and sleeve seams by backstitching omitting rib, join rib by top sewing.

Pin front bands into position, sew on by top sewing. Sl.st. row ends of collar to top of front bands.

Sew on buttons.

HAT

Join back seam by backstitching omitting rib, join rib by top sewing reversing seam for turnback.

Ear Flaps (optional)

Right Ear Flap

Using 3¼ mm. Needles, cast on 7 sts. Work 2 rows in rib.

Next Row (Buttonhole Row) – Rib 3, y.fwd., K.2tog., rib to end.

Work a further 3 rows in rib.

Continue in rib and working all inc. sts. into rib, inc. 1 st. at each end of the needle on the next and every following alt. row until 17 sts., then on every following 4th row until 21 (21, 23, 23) sts. are on the needle.

Continue without further inc. until work measures 11 (12, 12.5, 13.5) cm. 4¼ (4¾, 5, 5¼) ins. from commencement finishing on a 2nd Row.

Cast off in rib.

Left Ear Flap

Work as instructions given for Right Ear Flap omitting buttonhole.

Pin ear flaps into position if required onto wrong side of 1st Row of patt., sl.st. into position.

Sew on button.

Make a pom-pom and attach to top of crown. Press seams.